


SPESIFIKASI LAMPU PJU-TS 150 WATT LED OSRAM


1. LAMPU LED OSRAM 150 WATT HIGH LUMENS	2. Spesification LED OSRAM 150 Watt
	<ul style="list-style-type: none"> . Dual power source : Ac / Dc . Protection : IP 66 Design Outdoor . High efficacy : Up to 120lm/W . Lumens : 18000lm . Long lifetime : 50,000 hours . Warranty : 2 ~ 3 years . Material : Aluminum . Kelvin color / CCT : 4000K ~ 5600K . Beam Angle : 150 x 60


	<p style="text-align: center;">LEDENVO™ LED Street Light Photometrics Light Distribution Curve</p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <p>150° x 60°</p>  <p>15-Hoop Angle: 15°</p> </div> <div style="text-align: center;"> <p>150° x 70°</p>  <p>15-Hoop Angle: 15°</p> </div> </div> <p style="font-size: small; text-align: center;"> © 2017 by the manufacturing companies of LED. The data provided distribution and beam angle is intended only for reference purposes and do not necessarily correspond to the actual performance of the product. For more information, please contact us at info@ledenvo.com. LEDENVO™ is a registered trademark of LEDENVO™. All rights reserved. www.ledenvo.com </p>
--	--


PT.TATACIPTA PELANGI

<https://pjusolarcelltata.com/wp>


HUBUNGI : Mr. Asep & Ms. Budiwati : 081319121920 – 081319832763


1. Solar panel / PV Module	2. Spesification 250 Watt Pick / WP x 2 unit
	<ul style="list-style-type: none"> . Module type : Poly Crsytalline . Power Output : 500 watt . Voltage at Pmax, Impp : 32.2 Volt . Current at Pmax ,Impp : 15,7 Amper . Open circuit current Voc : 35.6 Volt . Short circuit current Isc : 17.2 Amper . Warranty : 15 years

1. Controller Smart SRNE 12/24 Volt {15-30 A}	2. Spesification SMART SRNE MPPT 15A x 2
	<ul style="list-style-type: none"> . Model type : Smart SRNE MPPT . Power Input : 24 volt . Voltage input PV : 15 ~ 55 Volt . Current Max : 15 ~ 30 Amper . Volttage Load LED : 15 ~ 60 Volt . Protection : IP 68 . Warranty : 1 years

1. Battery Vrla / lead acid	2. Spesification
	<ul style="list-style-type: none"> . Model type : Vrla – Lead acid . Power Amper : 120 Ah x 2 pcs { 240ah } 24volt . Voltage : 26.6 ~ 28.2 Volt . Lifetime : 2 years . Warranty : 1 years

[HUBUNGI : Mr. Asep & Ms. Budiwati : 081319121920 – 081319832763](tel:081319121920)

1. Box Battery	2. Spesification
	<ul style="list-style-type: none"> . Model type : Powder coating Box susun 100Ah . Capacity Box Battery : 120 Ah x 2 pcs { 240Ah } 24volt . Lifetime : 2 years . Warranty : 1 years

1. Light poles & accessories	2. Spesification
	<ul style="list-style-type: none"> . Model type : Octagonal Galvanis . Capacity Box Battery : 240 Ah . Standart pole height : 10 ~ 13 M . Lifetime : 20 years . Warranty : 10 years