


SPESIFIKASI LAMPU PJU-TS 90 WATT LED OSRAM


1. LAMPU LED OSRAM 90 WATT HIGH LUMENS	2. Spesification LED OSRAM 90 Watt
	<ul style="list-style-type: none"> . Dual power source : Ac / Dc . Protection : IP 66 Design Outdoor . High efficacy : Up to 120lm/W . Lumens : 10800lm . Long lifetime : 50,000 hours . Warranty : 2 ~ 3 years . Material : Aluminum . Kelvin color / CCT : 4000K ~ 5600K . Beam Angle : 150 x 60


	 <p>LEDENVO™ LED Street Light Photometrics Light Distribution Curve 100° x 60° 100° x 70°</p>
---	--


DISTRIBUTOR PJU TENAGA SURYA


081319121920


<https://pjusolarcelltata.com/wp>

1. Solar panel / PV Module	2. Spesification 150 Watt Pick / WP x 2 pcs
	<ul style="list-style-type: none"> . Module type : Poly Crystalline . Power Output : 300 watt . Voltage at Pmax, Impp : 29.5 Volt . Current at Pmax ,Impp : 10,7 Amper . Open circuit current Voc : 36.6 Volt . Short circuit current Isc : 12.2 Amper . Warranty : 15 years

1. Controller Smart SRNE 12/24 Volt {15-30 A}	2. Spesification SMART SRNE 15A MPPT
	<ul style="list-style-type: none"> . Model type : Smart SRNE MPPT . Power Input : 12/24 volt . Voltage input PV : 15 ~ 55 Volt . Current Max : 15 ~ 20 Amper . Volttage Load LED : 15 ~ 60 Volt . Protection : IP 68 . Warranty : 1 years

1. Battery Vrla / lead acid	2. Spesification
	<ul style="list-style-type: none"> . Model type : Vrla – Lead acid . Power Amper : 100 Ah x 2 pcs { 200ah } 24volt . Voltage : 24.6 ~ 28.2 Volt . Lifetime : 2 years . Warranty : 1 yars

1. Box Battery	2. Spesification
	<ul style="list-style-type: none"> . Model type : Powder coating Box susun 100Ah . Capacity Box Battery : 100 Ah x 2 pcs { 200Ah } 24volt . Lifetime : 2 years . Warranty : 1 years

1. Light poles & accessories	2. Spesification
	<ul style="list-style-type: none"> . Model type : Octagonal Galvanis . Capacity Box Battery : 200 Ah . Standart pole height : 10 ~ 12 M . Lifetime : 20 years . Warranty : 10 years